

CERTIFICATE OF THOROUGH EXAMINATION BLASTING POT



Issued By:



Date of Issue: 26-03-2025

Certificate No.: **JO-10782/2**

This equipment certificate complies with the requirements of Emirates International Accreditation Centre for inspection bodies working in the field of (EIAC-RQ-IB-004), reference standards API 510, NBIC NB23 Part 2, BS 13445-5:2009, ASME BPVC V Section VIII Div. 1 and Manufacturer's Specification.

Owner Name: Mr. Daniel
Office Address: P.O. Box 800
Sharjah
United Arab Emirates
Equipment Location: SHJ

INSPECTION DETAILS			
Date of Inspection:	26-03-2025	Expiry Date:	26-03-2025
Inspection Type:	THOROUGH		
Previous Inspection Report:	sbd	Next Hydro Test:	26-03-2025
Test Method	dbdb	Calibrated Test Equipment:	fbbf
		Client Test Equipment:	snxnd
EQUIPMENT INSPECTION			
Equipment Description:	dhdbd		
ID & Serial No.:	zbbdd	Design Pressure:	8
Model:	dbdnd	Actual Working Pressure:	6
Equipment Type:	dbhd	Shell / Core Thickness:	6
Equipment Manufacturer and year:	2025-03-26	Test Pressure	4
Capacity:	8	Pressure Gauge Range	4
1. Is this the first examination after installation or assembly at a new location? ☐ Yes ☒ No			
2. If the answer to the above question is Yes, then has the equipment been installed correctly? ☒ Yes ☐ No			
3. Was the inspection carried out in accordance with an examination scheme? ☐ Yes ☒ No			
The owner shall perform the next inspection no later than 3 Months From the date of issue.			

This is to certify that the above item/s described in this certificate was tested and particulars are correct.

CSSC has inventoried, inspected, verified and tested above mentioned equipment in accordance with the reference standards cited herein and consistent with CSSC policies and procedure. We certify this above mentioned equipment is **SAFE TO USE**, condition prevails at the time of this inspection, safe to use further with qualified operator. That the owner or his designated agent or contractor, hereafter owner, continues to perform maintenance in accordance with the original equipment manufacturer's preventive maintenance guideline and procedures and makes no unauthorized changes to the equipment's controls and mechanisms. CSSC makes no claims regarding the condition or safety of the equipment after we have completed this inspection and departed the property. CSSC disclaims any warranty of any kind either expressed or implied including without limitation warranties of merchantability or fitness for a particular purpose. This certificate becomes invalid in the event of any repair or alterations are done, in which case it must be retested.

All the information obtained /gathered during the inspection shall be preserved as confidential.

This inspection has been carried out as per local order no. : 2/2010;

This inspection certificate / report shall not be reproduced except in full without the approval of Claymore and the Client.

Inspected By: Maricris Barro Elcano

Name & Signature of Inspector

CERTIFICATE OF THOROUGH EXAMINATION BLASTING POT

EXAMINATION REPORT						
EQUIPMENT PARTS		S	NS	NA	SE	REMARKS
Document Verification						
1.	Previous inspection report	☐	☐	☒	☐	
2.	Maintenance log sheet	☐	☐	☒	☐	
3.	Mfg. Manual & technical instruction	☐	☐	☒	☐	
Source						
4.	Fuel system	☐	☐	☒	☐	
5.	Electrical system	☐	☐	☒	☐	
6.	Earthling	☐	☐	☒	☐	
7.	Air filter	☐	☐	☒	☐	
8.	Motor & motor guard / engine	☐	☐	☒	☐	
9.	Belt condition	☐	☐	☒	☐	
10.	Indicators	☐	☐	☒	☐	
11.	Emergency switch	☐	☐	☒	☐	
Vessel						
12.	External condition	☐	☐	☒	☐	
13.	Identification mark	☐	☐	☒	☐	
14.	Paint/surface	☐	☐	☒	☐	
15.	Corrosion	☐	☐	☒	☐	
16.	Drain valve system	☐	☐	☒	☐	
17.	Safety valve system	☐	☐	☒	☐	
18.	Automatic pressure load switch on/off	☐	☐	☒	☐	
19.	Automatic temperature load switch on/off	☐	☐	☒	☐	
20.	Pipe connections	☐	☐	☒	☐	
21.	Internal tube condition	☐	☐	☒	☐	
22.	Insulation	☐	☐	☒	☐	
23.	Water level cut on & cut off	☐	☐	☒	☐	
24.	Any leakage	☐	☐	☒	☐	
25.	Lubricant	☐	☐	☒	☐	
26.	Suction & inlet fittings	☐	☐	☒	☐	
27.	Other valves	☐	☐	☒	☐	
28.	Pressure / Temp. Gauges	☐	☐	☒	☐	
Support						
29.	Base frames condition	☐	☐	☒	☐	
30.	Bolt fittings	☐	☐	☒	☐	
Other Accessories						
31.	Fire extinguisher	☐	☐	☒	☐	
32.	Safety instruction	☐	☐	☒	☐	
33.	Warning sign	☐	☐	☒	☐	
Load Test						
34.	Hydro test (1.5 times of design pressure)	☐	☐	☒	☐	
35.	Hydro test for safety valve (100% & above)	☐	☐	☒	☐	

S-Satisfactory, NS-Not Satisfactory, NA-Not Applicable, SE-Serviceable • Finding • Critical Finding

Finding:	Critical Finding:	Other Remarks:
Target Date of Closure:	Target Date of Closure:	

CERTIFICATE OF THOROUGH EXAMINATION BLASTING POT



Issued By:



Date of Issue: 26-03-2025

CertificateNo.: **JO-10782/2**

ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe ThinkSafe! ThinkSafe!

Stage Of Inspection: <<StageOfInspection>>

Owner Name: Mr.Daniel

Equipment Name: **Blasting Pot**

Equipment Location: SHJ

Table Of content

1. Certificate of thorough examination.....	1
2. Examination Report.....	2
3. Photos of inspected Items.....	3
4. Photos of Safety component	3
5. Gauge & Safety Calibration certificate.....	3

PHOTOS OF INSPECTED BLASTING SPOT

Equipment photo	
Gauge	Safety Valve
Gauge calibration certificate	Serial No

CERTIFICATE OF THOROUGH EXAMINATION BLASTING POT



Issued By:



Date of Issue: 26-03-2025

CertificateNo.: **JO-10782/2**

ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe!

