### CERTIFICATE

### OF THOROUGH EXAMINATION CHAIN BLOCK / LEVER HOIST





ThinkSafe! ThinkSafe!

**Date of Issue**: 28-03-2025 CertificateNo.:JO-11354/2

This equipment certificate complies with the requirements of Emirates International Accreditation Centre for inspection bodies working in the field of Lifting Equipment and Lifting Accessories (EIAC-RQ-IB-002), reference standard BS EN 13157:2004+A1:2009 and Manufacturer's Specification.

Owner Name: Mr. Arun

Office Address: P. O. Box - 13164,

Dubai.

United Arab Emirates.

Equipment Location: Claymore Yard

	INSPECTION	ON DETAILS						
Date of Inspection:	28-03-2025	Expiry Da	ite:	28-03-2025				
Inspection Type:	THOROUGH							
Previous Inspection Report:	djdh	Last Proof Lo	ad Test:	28-03-2025				
Test Method	jddh	Calibrated Te	est Equipment:	xjxh				
rest Method	Jaan	Client Test E	quipment:	dhdh				
EQUIPMENT INFORMATION								
EQUIPMENT ID & SERIAL NO.:	EQUIPMENT DESCRIPTION	QTY	SAFE WORKING LOAD	TEST LOAD APPLIED	TYPE OF TEST & RESULT			
dhdh	Manufacturer: ndh Model: jdnd Chain Diameter: 7 Grade: dbhd Number of Falls: 7 Height of Lift: 5	9	8	7 RF	jddh			
2. If the answer to the	ination after installation or asse above question is Yes, then has carried out in accordance out in	s the equipme	nt been installed		′es □ No			
The owner shall perform the next inspection no later than 3 Months From the date of issue.								

This is to certify that the above item/s described in this certificate was tested and particulars are correct.

CSSC has inventoried, inspected, verified and tested above mentioned equipment in accordance with the reference standards cited herein and consistent with CSSC policies and procedure. We certify this above mentioned equipment is SAFE TO USE, condition prevails at the time of this inspection, safe to use further with qualified operator. That the owner or his designated agent or contractor, hereafter owner, continues to perform maintenance in accordance with the original equipment manufacturer's preventive maintenance guideline and procedures and makes no unauthorized changes to the equipment's controls and mechanisms. CSSC makes no claims regarding the condition or safety of the equipment after we have completed this inspection and departed the property. CSSC disclaims any warranty of any kind either expressed or implied including without limitation warranties of merchantability or fitness for a particular purpose. This certificate becomes invalid in the event of any repair or alterations are done, in which case it must be retested.

> All the information obtained /gathered during the inspection shall be preserved as confidential. This inspection has been carried out as per local order no. : 2/2010; This inspection certificate / report shall not be reproduced except in full without the approval of Claymore and the Client.

Inspected By: Maricris Barro Elcano

Name & Signature of Inspector

CSSC-CERT01 / 24 Rev. 11 Rev. Date. 27-02-2024

Claymore Security and Safety Consultants, P.O. Box 23420 Dubai & Abu Dhabi, U.A.E., Tel. No.: 04 884 8446

E-mail: claysafe@claycss.ae, Website: www.claymoresafe.ae

## CERTIFICATE

# OF THOROUGH EXAMINATION CHAIN BLOCK / LEVER HOIST





ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe!

Date of Issue: 28-03-2025 CertificateNo.:JO-11354/2

	EXAMIN	IATIC	N RE	POR	Т			
	EQUIPMENT PARTS	S	NS	NA	SE	REMARKS		
	Docui	ment v	erifica	tion				
1.	Previous inspection report			Ø	6	4		
2.	Maintenance log sheet					JORE DE		
3.	Mfg. Manual & technical instruction			Ø		May Mon		
Component								
4.	Cover guard condition (gear cover, hand sheave cover, pawl sheave cover)			Ø				
Hand wheel, pawl rod lever and hand lever condition (for lever hoist); hand chain sheave (for chain block)					- AL	ORE		
6.	Load wheel or load sheave			◪		NOW YOU		
7.	7. Hand chain condition (no sharp edges, blurs, twists,			Ø		CLAY!		
Load chain (wear: 8%; elongation due to wear: 5%; elongation due to stretch: 0%) (pitch: 3xdia)				Ø	2E	OE .		
Chain anchor plate / chain stop			0.00			MOL ORK		
9.	Chain guide,		( )	2		CAN'T TANGE		
10. Guide roller			E	2		Chi.		
11. Chain Stripper and Chain Anchor plate		<del>-</del>		2				
12. Gears and guards		+ -		<b>2</b>				
13. Clutches and breaks				<u> </u>				
15.	14. Sufficient length		<del>                                     </del>		250	36		
15.	Erosion or corrosion condition  Hook condition (top hook & bottom hook)			<u> </u>	0.7	CAOK!		
		-3	(	18 300		AN YMO		
(wear: 10%; throat opening:15%; twist: 10°)			15,	Ø		(CLA)		
17. 18.				2				
19.				2				
19. Slewing condition of hook  Load test								
20.	Safe working load (100%)	Load	lest	<b>2</b>				
21.				2				
S-Satisfactory, NS-Not Satisfactory, NA-Not Applicable, SE-Service		reable •		_	_	ling		
	actor 9, 110 110t buttajuctor 9, 111 110t 11ppticuote, DD-Der Ott	caoic ·		- 01111	.ui 1 III(	······································		
Finding:	Critical Finding:					Other Remarks:		
Torget D	toto of Closuro:	locuro				-		
Target Date of Closure: Target Date of Closure:					1			

CSSC-CERT01 / 24 Rev. 11 Rev. Date. 27-02-2024

## CERTIFICATE

OF THOROUGH EXAMINATION
CHAIN BLOCK / LEVER HOIST





Date of Issue: 28-03-2025 CertificateNo.:JO-11354/2

ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe!

#### PHOTOS OF INSPECTED CHAIN BLOCK/LEVER HOIST

CSSC-CERT01 / 24 Rev. 11 Rev. Date. 27-02-2024