REPORT

OF THOROUGH EXAMINATION OVERHEAD CRANE





ufe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe!

Date of Issue: 26-07-2025 **ReportNo.**: **JO-10899/A**

This equipment certificate complies with the requirements of Emirates International Accreditation Centre for inspection bodies working in the field of Lifting Equipment and Lifting Accessories (EIAC-RQ-IB-002) and reference standard BS 7121-2-1:2012, BS 7121-2-7:2012+A1:2015 and Manufacturer's Specification.

Owner Name: Engr.Jayakumar R 050-6585223/Mr. Umesh-0504356601

Office Address: P. O. Box - 7432,

Dubai,

United Arab Emirates.

Equipment Location: Near Dubai Mall

| INSPECTION DETAILS | | | | | | | | | |
|--|---------------------------------------|--------------------------------------|--------------|-----------|--|--|--|--|--|
| Date of Ingression: | | | | | | | | | |
| Date of Inspection: | | Expiry Date: | 07-2025 | | | | | | |
| Inspection Type: | PERIODIC | 1 | 1 | | | | | | |
| Previous Inspection Report: | fghfy | Last Proof Load Test: 26-07-2025 | | | | | | | |
| Test Method | CSI-19A | Calibrated Test Equipment: | vh | vh | | | | | |
| | | Client Test Equipment: | gg | g | | | | | |
| EQUIPMENT INFORMATION | | | | | | | | | |
| Equipment Description: | fy | | | | | | | | |
| ID & Serial No.: | gy | Wire Rope Ø (Dia.) & No. of Fa | ılls: | hh | | | | | |
| Equipment Type: | gh | Main Hoist Height Lifting: | gh | | | | | | |
| Equipment Manufacturer: | hh | Auxiliary Hoist Height of Lifting gy | | | | | | | |
| Installation Company: | gh | Total Long Travelling Distance gh | | | | | | | |
| Installation Year: | 26-07-2025 | Span Length: vh | | | | | | | |
| SAFE WORKING LOAD AS PER LOAD CHART | | | | | | | | | |
| Max Allowable Deflection as per Span Length: C mm | | Safe Working Load | | Test Load | | | | | |
| Actual Deflection: cv mm at fg tonne | | g | g | - | | | | | |
| *1000 Kgs. = 1.1 Ton (Short US) *1000 Kgs. = 1.0 Tonne | S S S S S S S S S S S S S S S S S S S | CUPITY & SAFETY CONS | WE III T/ | ANTS | | | | | |
| 1. Is it the first examination after installation or assembly at a new location? ✓ Yes □ No | | | | | | | | | |
| 2. If the answer to the above question is yes, then has the equipment been installed correctly? ☐ Yes ☑ No | | | | | | | | | |
| 3. Was the inspection carried out in accordance with an examination scheme? ☐ Yes ☑ No | | | | | | | | | |
| The owner shall perform the next inspection no later than 1 Months From the date of issue. | | | | | | | | | |

This is to certify that the above item/s described in this certificate was tested and particulars are correct.

CSSC has inventoried, inspected, verified and tested above mentioned equipment in accordance with the reference standards cited herein and consistent with CSSC policies and procedure. We certify this above mentioned equipment is *SAFE TO USE*, condition prevails at the time of this inspection, safe to use further with qualified operator. That the owner or his designated agent or contractor, hereafter owner, continues to perform maintenance in accordance with the original equipment manufacturer's preventive maintenance guideline and procedures and makes no unauthorized changes to the equipment's controls and mechanisms. CSSC makes no claims regarding the condition or safety of the equipment after we have completed this inspection and departed the property. CSSC disclaims any warranty of any kind either expressed or implied including without limitation warranties of merchantability or fitness for a particular purpose. This certificate becomes invalid in the event of any repair or alterations are done, in which case it must be retested.

All the information obtained /gathered during the inspection shall be preserved as confidential.

This inspection has been carried out as per local order no.: 2/2010;

This inspection certificate / report shall not be reproduced except in full without the approval of Claymore and the Client.

Inspected By: Katrina

happy

Name & Signature of Inspector

CSSC-CERT01 / 03 Rev. 11 Rev. Date. 27-02-2024

Page1

REPORT

OF THOROUGH EXAMINATION OVERHEAD CRANE





hinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe!

Date of Issue: 26-07-2025 ReportNo.: JO-10899/A

| EXAMINATION REPORT | | | | | | | | | | | |
|---|--|------------------|---------------|--|-------|-------------|---------|--|--|--|--|
| | EQUIPMENT PARTS | S | NS | NA | SE | | REMARKS | | | | |
| | In a series of the series of t | | ents Verifica | | | < NV2.2 | ZOV | | | | |
| 1. | Previous inspection report | | | 10 E | | TAN | 31015 | | | | |
| 2. | Maintenance log sheet | | | | 100 | Dis | - His | | | | |
| 3. | Mfg. Manual & technical instruction Operator license and Competency Certificate | | | | | 100 | (clr) | | | | |
| 4. | NDT Certificate for hook | 2 | | | | | | | | | |
| 5. | | 2 | | | | | | | | | |
| 6. Torque Report | | | | | | | | | | | |
| 7. Marking & identification of SWL & serial number or 🗹 🗆 🗆 🗆 | | | | | | | | | | | |
| '· | ID | 51 01 | | 30 | _ | 30. | | | | | |
| 8. | Emergency device | Ø | | VO.E. | | 100 | age | | | | |
| | All button control & condition | | - DO | | | | 41117 | | | | |
| Pendant, Pendant cable, pendant festoon pendant | | dant 💆 | CD | | - L C | V | T. D. | | | | |
| 10. | track | dant _ | | _ | | | Cr | | | | |
| 11. | Remote Control | Ø | | | | 179 | | | | | |
| 12. | Cable lifeline wire rope condition | Ø | | | | | - 11 - | | | | |
| | | Но | ist & Trolley | , | | | | | | | |
| 13. | Trolley condition, Trolley conductor track & fes | | | | | | | | | | |
| 14. | Trolley traveling limit switches | | | 00 | | OR | 30 | | | | |
| 15. | Trolley brake condition | | 3 | 100 | | JAM | 1015 | | | | |
| 16. | Trolley limit switch / anti-two collision device | Ø | (AL) | | -00 | Di | Alex | | | | |
| 17. | Wire Rope Drum | Ø | | | | 100 | CC | | | | |
| 18. | Sheave grove condition | Ø | | | | | 100 | | | | |
| 19. | Wire rope condition & termination | Ø | | | | - T | | | | | |
| 20. | Min. 3 full wraps of wire rope on drum | Z Z | | | | - 6 | | | | | |
| 21. | Hook & hook block condition | | | OB | | ORY | 26 | | | | |
| 22. | Hoist brake condition | <u> </u> | 1000 | | | THAT | 1065 | | | | |
| 23. | Trolley end stopper | | (AD | | | Delin | AM | | | | |
| 24. | Trolley wheel & track, trolley motor, trolley fran | | CT I | | 30 | 100 | COLA | | | | |
| 24. Trolley wheel & track, trolley motor, trolley frame 2 1 1 1 1 1 1 1 1 1 | | | | | | | | | | | |
| 25. | Hoist Motor Condition | | | | | | 2-2-4 | | | | |
| 26. | Loose bolt & nut condition, safety handrail, gua | | | | | | | | | | |
| 20. | & cover, platform & ladder | - I | _ | | _ | | | | | | |
| 27. | | | | a , | | - 4 | | | | | |
| 28. | | | | 00 | | OB | ac. | | | | |
| 29. | Bridge brake condition | Ø | | 1000 | | JAM | 1014 | | | | |
| 30. Bridge end stopper | | Z | AD. | | | Description | - JAM | | | | |
| 31. | Bridge wheel & track | Ø | VI III | | | 100 | CCLA | | | | |
| 32. | Warning devices | Ø | | | | | 1 | | | | |
| | | Mechanic | al Bearer st | ructure | | | | | | | |
| 33. | General structure condition | - ✓ | | | | | | | | | |
| 34. | Supports & Base fittings | Ø | | | | 170 | | | | | |
| Electrical system | | | | | | | | | | | |
| 35. | Grounding / Earthling test | | | NOD. | | NO. | OBE | | | | |
| 36. | Insulation Test | Ø | | | | M | THO: | | | | |
| 37. | ELCB | Ø | CD | | - C | 1 | C. A. | | | | |
| 38. | Isolator, breaker | Ø | | | | | T CV | | | | |
| 39. | General condition | Ø | | | | 100 | | | | | |
| Other Accessories | | | | | | | | | | | |
| 40. | Fire extinguisher | Ø | | | | | | | | | |
| 41. | Warning signs | Ø | | | | | | | | | |
| | | | Load test | | | | | | | | |
| 42. | Over load system cut off (110%) | | | NOD | | - AU | ORE | | | | |
| 43. Dynamic load (100%) | | Ø | | 190 | | CALL | THO THE | | | | |
| 44. Static load (125%) | | Ø | CD | | | V.S. | C. A. | | | | |
| S-Satisfactory, NS-Not Satisfactory, NA-Not Applicable, SE-Serviceable ◆ Finding ● Critical Finding | | | | | | | | | | | |
| | | | | | | | | | | | |
| Finding: Critical F | | itical Finding: | | | Othe | r Remarks: | 0.00 | | | | |
| | | - | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Tora | est Data of Clasura: | ract Data ofClas | | | | | | | | | |

Claymore Security and Safety Consultants, P.O. Box 23420 Dubai & Abu Dhabi, U.A.E., Tel. No.: 04 884 8446, E-mail: claysafe@claycss.ae, Website: www.claymoresafe.ae

CSSC-CERT01 / 03 Rev. 11 Rev. Date. 27-02-2024

REPORT

OF THOROUGH EXAMINATION OVERHEAD CRANE





Date of Issue: 26-07-2025 ReportNo.: JO-10899/A

hinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe!

PHOTOS OF INSPECTED OVERHEAD CRANE

CSSC-CERT01 / 03 Rev. 11 Rev. Date. 27-02-2024