

REPORT OF THOROUGH EXAMINATION LIFTING FRAME

ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe!

This equipment certificate complies with the requirements of Emirates International Accreditation Centre for inspection bodies working in the field of Lifting Equipment and Lifting Accessories (EIAC-RQ-IB-002), reference standard BS EN 13155:2020, LEEA, LOLER, and Manufacturer's Specification.

Owner Name: Mr. Shaneeb / Mr. Madhusudan 056 9098208

Office Address: P.O.Box: 31550

Dubai,

United Arab Emirates

Equipment Location: DIP

INSPECTION DETAILS				
Date of Inspection:	07-04-2025	Expiry Date:	07-04-2025	
Inspection Type:	THOROUGH			
Previous Inspection Report:	g	Last Proof Load Test:	07-04-2025	
Test Method	CSI-16	Calibrated Test Equipment:	g	
		Client Test Equipment:	f	
EQUIPMENT INSPECTION				
Equipment Description:	h			
ID & Serial No.:	g	Overall Dimensions:	<<LDimension>>(m)	<<WDimension>>(m)
Equipment Type:	☐ Lifting Beam ☒ Spreader Beam ☐ Lifting Frame		<<HDimension>>(m)	<<ThDimension>>(m)
		No. of Pad Eyes / Legs:	9	
		Pad Eye Hole Diameter:	6	
Equipment Manufacturer:	b	Pad Eye Thickness:	3	
Manufacture Year:	07-04-2025	Safe Working Load:	9	
		Test Load Applied:	9	
1. Is this the first examination after installation or assembly at a new location?			☒ Yes ☐ No	
2. If the answer to the above question is Yes, then has the equipment been installed correctly?			☒ Yes ☐ No	
3. Was the inspection carried out in accordance with an examination scheme?			☒ Yes ☐ No	
The owner shall perform the next inspection no later than 10 Months From the date of issue.				

This is to certify that the above item/s described in this certificate was tested and particulars are correct.

CSSC has inventoried, inspected, verified and tested above mentioned equipment in accordance with the reference standards cited herein and consistent with CSSC policies and procedure. We certify this above mentioned equipment is **SAFE TO USE**, condition prevails at the time of this inspection, safe to use further with qualified operator. That the owner or his designated agent or contractor, hereafter owner, continues to perform maintenance in accordance with the original equipment manufacturer's preventive maintenance guideline and procedures and makes no unauthorized changes to the equipment's controls and mechanisms. CSSC makes no claims regarding the condition or safety of the equipment after we have completed this inspection and departed the property. CSSC disclaims any warranty of any kind either expressed or implied including without limitation warranties of merchantability or fitness for a particular purpose. This certificate becomes invalid in the event of any repair or alterations are done, in which case it must be retested.

All the information obtained /gathered during the inspection shall be preserved as confidential.

This inspection has been carried out as per local order no. : 2/2010;

This inspection certificate / report shall not be reproduced except in full without the approval of Claymore and the Client.

Inspected By: Maricris Barro



Name & Signature of Inspector

REPORT

OF THOROUGH EXAMINATION

LIFTING FRAME

Date of Issue: 07-04-2025

ReportNo.: **JO-10212/1**

ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe!

EXAMINATION REPORT						
EQUIPMENT PARTS		S	NS	NA	SE	REMARKS
Document Verification						
1.	Previous inspection report	☐	☐	☒	☐	
2.	Maintenance log sheet	☐	☐	☒	☐	
3.	Mfg. Manual & technical instruction	☐	☐	☒	☐	
Mechanical Structure						
4.	Marking / hard stamping of SWL and MGW	☐	☐	☒	☐	
5.	Pad eye assembly on lifting structure	☐	☐	☒	☐	
6.	Welding condition on lifting structure	☐	☐	☒	☐	
7.	Bolts, hinges, rubber sealing are secured	☐	☐	☒	☐	
8.	Pad eye hole (smooth & efficient, no wear, undue elongation or physical damage)	☐	☐	☒	☐	
9.	General structure(Condition for deformation, Distortion, cracks or damage)	☐	☐	☒	☐	
10.	Pitting or general corrosion underneath	☐	☐	☒	☐	
11.	Supporting members	☐	☐	☒	☐	
12.	General painting status	☐	☐	☒	☐	
13.	Check of associated sling assembly if any	☐	☐	☒	☐	
14.	Warning sign	☐	☐	☒	☐	
Load Testing						
15.	Load test (as per the Mfg./LOLER) - SWL up to 10ton: PL = SWL x 2 10ton up to 160ton: PL = (1.04xSWL+9.6ton) - Over 160ton: PL = SWL x 1.1	☐	☐	☒	☐	

S-Satisfactory, NS-Not Satisfactory, NA-Not Applicable, SE-Serviceable • Finding • Critical Finding

Finding:	Critical Finding:	Other Remarks:
Target Date of Closure:	Target Date of Closure:	

REPORT OF THOROUGH EXAMINATION LIFTING FRAME



Issued By:



Date of Issue: 07-04-2025

ReportNo.: **JO-10212/1**

ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe!

PHOTOS OF INSPECTED LIFTING FRAME