

CERTIFICATE

OF THOROUGH EXAMINATION

WEBBING SLING / ROUND SLING



Issued By:



Date of Issue: 16-10-2025

CertificateNo.: **JO-10966/1**

This equipment certificate complies with the requirements of Emirates International Accreditation Centre for inspection bodies working in the field of Lifting Equipment and Lifting Accessories (EIAC-RQ-IB-002), reference standard BS EN 1492-1:2000+A1:2008, BS EN 1492-2:2000+A1:2008, BS EN 1492-4:2004+A1:2008 and Manufacturer's Specification.

Owner Name: Abdul Nasir Siddique / Suhail /Edwin
Office Address: P.O.Box 5427
Dubai,
United Arab Emirates.

Equipment Location: Port Khalid, SHJ

| INSPECTION DETAILS | | | | | | |
|--|---|----------------------------|--------------|--------------------|-------------------|-----------------------|
| Date of Inspection: | 16-10-2025 | | Expiry Date: | 16-10-2025 | | |
| Inspection Type: | THOROUGH | | | | | |
| Previous Inspection Report: | gh | Last Proof Load Test: | | 16-10-2025 | | |
| Test Method | CSI-21 | Calibrated Test Equipment: | | hu | | |
| | | Client Test Equipment: | | bh | | |
| EQUIPMENT INFORMATION | | | | | | |
| EQUIPMENT ID & SERIAL NO.: | EQUIPMENT DESCRIPTION | | QTY | WORKING LOAD LIMIT | TEST LOAD APPLIED | TYPE OF TEST & RESULT |
| yy | Manufacturer: h Width: y Length: g No. of Ply: y Color: h Safety Factor: y | | h | y | h | g |
| The owner shall perform the next inspection no later than 3 Months From the date of issue. | | | | | | |

This is to certify that the above item/s described in this certificate was tested and particulars are correct.

CSSC has inventoried, inspected, verified and tested above mentioned equipment in accordance with the reference standards cited herein and consistent with CSSC policies and procedure. We certify this above mentioned equipment is **SAFE TO USE**, condition prevails at the time of this inspection, safe to use further with qualified operator. That the owner or his designated agent or contractor, hereafter owner, continues to perform maintenance in accordance with the original equipment manufacturer's preventive maintenance guideline and procedures and makes no unauthorized changes to the equipment's controls and mechanisms. CSSC makes no claims regarding the condition or safety of the equipment after we have completed this inspection and departed the property. CSSC disclaims any warranty of any kind either expressed or implied including without limitation warranties of merchantability or fitness for a particular purpose. This certificate becomes invalid in the event of any repair or alterations are done, in which case it must be retested.

All the information obtained /gathered during the inspection shall be preserved as confidential.

This inspection has been carried out as per local order no. : 2/2010;

This inspection certificate / report shall not be reproduced except in full without the approval of Claymore and the Client.

Inspected By: Katrina



Name & Signature of Inspector

CERTIFICATE OF THOROUGH EXAMINATION WEBBING SLING / ROUND SLING



Issued By: Date of Issue: 16-10-2025

Certificate No.: **JO-10966/1**

ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe!

| EXAMINATION REPORT | | | | | | |
|-----------------------|--|-------------------------------------|--------------------------|--------------------------|--------------------------|---------|
| EQUIPMENT PARTS | | S | NS | NA | SE | REMARKS |
| Document verification | | | | | | |
| 1. | Previous inspection report | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 2. | Manufacturer technical specification / conformity report | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Component: | | | | | | |
| 3. | Marking of SWL and ID No. [Label Color: Green (Polyamide); Blue (Polyester); Brown (Polypropylene)] | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4. | Webbing sling tolerance: <u>Thickness</u> : -Single Layer : 2mm (min. thickness) -Multi-Layer : 1.2mm (min. thickness) <u>Width</u> : 25mm – 450mm +/-10% (for width up to 100mm) +/- 8% (for width greater than 100mm) <u>Inside Length of Eye</u> : *3x width (for width up to 150mm) *2.5x width (for width greater 150mm) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 5. | Webbing sling condition (stretch, cuts, nicks, worn, heat discolorations, thread / stitches damage or any other defects) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 6. | Round sling tolerance: -the EWL shall not differ of more than 2% from the nominal length | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 7. | Round sling cover & protective sleeve condition (stretch, cuts, nicks, worn, heat discolorations, thread / stitches damage or any other defects) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

S-Satisfactory, NS-Not Satisfactory, NA-Not Applicable, SE-Serviceable • Finding • Critical Finding

| | | |
|-------------------------|-------------------------|----------------|
| Finding: gh | Critical Finding: uu | Other Remarks: |
| Target Date of Closure: | Target Date of Closure: | |

CERTIFICATE
OF THOROUGH EXAMINATION
WEBBING SLING / ROUND SLING



Issued By:



Date of Issue: 16-10-2025

CertificateNo.: **JO-10966/1**

ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe ThinkSafe! ThinkSafe!

PHOTOS OF WEBBING AND ROUND SLING INSPECTED