

REPORT

OF THOROUGH EXAMINATION

WEBBING SLING / ROUND SLING



Issued By:



Date of Issue: 17-07-2025

Report No.: **DRAFT**

ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe!

This equipment certificate complies with the requirements of Emirates International Accreditation Centre for inspection bodies working in the field of Lifting Equipment and Lifting Accessories (EIAC-RQ-IB-002), reference standard BS EN 1492-1:2000+A1:2008, BS EN 1492-2:2000+A1:2008, BS EN 1492-4:2004+A1:2008 and Manufacturer's Specification.

Owner Name: Mr. Jith
Office Address: P. O. Box - 50034,
Hamriyah FZ, Sharjah,
United Arab Emirates.
Equipment Location: Hamriyah

INSPECTION DETAILS					
Date of Inspection:		17-07-2025		Expiry Date:	
Inspection Type:		THOROUGH			
Previous Inspection Report:		v		Last Proof Load Test:	
Test Method		CSI-21		17-07-2025	
				Calibrated Test Equipment:	
				fy	
				Client Test Equipment:	
				fg	
EQUIPMENT INFORMATION					
EQUIPMENT ID & SERIAL NO.:		EQUIPMENT DESCRIPTION		QTY	
				WORKING LOAD LIMIT	
				TEST LOAD APPLIED	
				TYPE OF TEST & RESULT	
fy		Manufacturer: cf Width: vg Length: v No. of Ply: 8 Color: g Safety Factor: c		55	
				fg	
				fg	
				gg	

This is to certify that the above item/s described in this certificate was tested and particulars are correct.

CSSC has inventoried, inspected, verified and tested above mentioned equipment in accordance with the reference standards cited herein and consistent with CSSC policies and procedure. We certify this above mentioned equipment is **UNSAFE TO USE**, condition prevails at the time of this inspection.

All the information obtained /gathered during the inspection shall be preserved as confidential.

This inspection has been carried out as per local order no. : 2/2010;

This inspection certificate / report shall not be reproduced except in full without the approval of Claymore and the Client.

Inspected By: Katrina

Name & Signature of Inspector

REPORT

OF THOROUGH EXAMINATION

WEBBING SLING / ROUND SLING

ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe!

EXAMINATION REPORT					
EQUIPMENT PARTS		S	NS	NA	SE
Document verification					
1.	Previous inspection report	☐	☐	☒	☐
2.	Manufacturer technical specification / conformity report	☐	☐	☒	☐
Component:					
3.	Marking of SWL and ID No. [Label Color: Green (Polyamide); Blue (Polyester); Brown (Polypropylene)]	☐	☐	☒	☐
4.	Webbing sling tolerance: <u>Thickness:</u> -Single Layer : 2mm (min. thickness) -Multi-Layer : 1.2mm (min. thickness) <u>Width</u> : 25mm – 450mm +/-10% (for width up to 100mm) +/- 8% (for width greater than 100mm) <u>Inside Length of Eye:</u> *3x width (for width up to 150mm) *2.5x width (for width greater 150mm)	☐	☐	☒	☐
5.	Webbing sling condition (stretch, cuts, nicks, worn, heat discolorations, thread / stitches damage or any other defects)	☐	☐	☒	☐
6.	Round sling tolerance: -the EWL shall not differ of more than 2% from the nominal length	☐	☐	☒	☐
7.	Round sling cover & protective sleeve condition (stretch, cuts, nicks, worn, heat discolorations, thread / stitches damage or any other defects)	☐	☐	☒	☐

S-Satisfactory, NS-Not Satisfactory, NA-Not Applicable, SE-Serviceable • Finding • Critical Finding

Finding:	Critical Finding:	Other Remarks:
Target Date of Closure:	Target Date of Closure:	

REPORT

OF THOROUGH EXAMINATION

WEBBING SLING / ROUND SLING



Issued By:



Date of Issue: 17-07-2025

Report No.: **DRAFT**

ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe!

PHOTOS OF WEBBING AND ROUND SLING INSPECTED