

REPORT

OF THOROUGH EXAMINATION

WEBBING SLING / ROUND SLING



Issued By:



Date of Issue: 14-11-2025

Report No.: **DRAFT**

ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe!

This equipment certificate complies with the requirements of Emirates International Accreditation Centre for inspection bodies working in the field of Lifting Equipment and Lifting Accessories (EIAC-RQ-IB-002), reference standard BS EN 1492-1:2000+A1:2008, BS EN 1492-2:2000+A1:2008, BS EN 1492-4:2004+A1:2008 and Manufacturer's Specification.

Owner Name: Mr. Mohan
Office Address: P. O. Box - 51908,
Sharjah,
United Arab Emirates.
Equipment Location: Claymore Yard

INSPECTION DETAILS					
Date of Inspection:	14-11-2025	Expiry Date:	FAILED		
Inspection Type:	THOROUGH				
Previous Inspection Report:	vbj	Last Proof Load Test:	14-11-2025		
Test Method	CSI-21	Calibrated Test Equipment:	gyu		
		Client Test Equipment:	hui		
EQUIPMENT INFORMATION					
EQUIPMENT ID & SERIAL NO.:	EQUIPMENT DESCRIPTION	QTY	WORKING LOAD LIMIT	TEST LOAD APPLIED	TYPE OF TEST & RESULT
cvb	Manufacturer: hj Width: gu Length: hugy No. of Ply: ghu Color: gh Safety Factor: cvh	hh	bj	hj	gh

This is to certify that the above item/s described in this certificate was tested and particulars are correct.

CSSC has inventoried, inspected, verified and tested above mentioned equipment in accordance with the reference standards cited herein and consistent with CSSC policies and procedure. We certify this above mentioned equipment is **UNSAFE TO USE**, condition prevails at the time of this inspection.

All the information obtained /gathered during the inspection shall be preserved as confidential.

This inspection has been carried out as per local order no. : 2/2010;

This inspection certificate / report shall not be reproduced except in full without the approval of Claymore and the Client.

Inspected By: Katrina

Name & Signature of Inspector

REPORT

OF THOROUGH EXAMINATION

WEBBING SLING / ROUND SLING

Date of Issue: 14-11-2025

Report No.: **DRAFT**

ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe!

EXAMINATION REPORT						
EQUIPMENT PARTS		S	NS	NA	SE	REMARKS
Document verification						
1.	Previous inspection report	☒	☐	☐	☐	
2.	Manufacturer technical specification / conformity report	☒	☐	☐	☐	
Component:						
3.	Marking of SWL and ID No. [Label Color: Green (Polyamide); Blue (Polyester); Brown (Polypropylene)]	☒	☐	☐	☐	
4.	Webbing sling tolerance: Thickness: -Single Layer : 2mm (min. thickness) -Multi-Layer : 1.2mm (min. thickness) Width : 25mm – 450mm +/-10% (for width up to 100mm) +/- 8% (for width greater than 100mm) Inside Length of Eye: *3x width (for width up to 150mm) *2.5x width (for width greater 150mm)	☒	☐	☐	☐	
5.	Webbing sling condition (stretch, cuts, nicks, worn, heat discolorations, thread / stitches damage or any other defects)	☒	☐	☐	☐	
6.	Round sling tolerance: -the EWL shall not differ of more than 2% from the nominal length	☒	☐	☐	☐	
7.	Round sling cover & protective sleeve condition (stretch, cuts, nicks, worn, heat discolorations, thread / stitches damage or any other defects)	☒	☐	☐	☐	

S-Satisfactory, NS-Not Satisfactory, NA-Not Applicable, SE-Serviceable • Finding • Critical Finding

Finding:	Critical Finding:	Other Remarks:
Target Date of Closure:	Target Date of Closure:	

REPORT

OF THOROUGH EXAMINATION

WEBBING SLING / ROUND SLING



Issued By:



Date of Issue: 14-11-2025

Report No.: **DRAFT**

ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe ThinkSafe! ThinkSafe!

PHOTOS OF WEBBING AND ROUND SLING INSPECTED