REPORT

OF THOROUGH EXAMINATION CRADLE / SUSPENDED ACCESS EQUIPMENT





Date of Issue: 02-04-2025 ReportNo.:JO-10021/1

ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe!

This equipment certificate complies with the requirements of Emirates International Accreditation Centre for inspection bodies working in the field of Lifting Equipment and Lifting Accessories (EIAC-RQ-IB-002) and reference standard LOLER 1998, BS EN 1808:2015 and Manufacturer's Specification.

Owner Name: Mr. Omar

Office Address: P.O. Box 120780

Dubai

United Arab Emirates

Equipment Location: D1 Tower, Jedaff

INSPECTION DETAILS											
Date of Inspection:	02-04-2025	Expiry Date:	02-04-2025								
Inspection Type:	THOROUGH										
Previous Inspection Report:	ssh	Last Proof Load Test:	02-04-2025								
-	001.00	Calibrated Test Equipment:	hd								
Test Method	CSI-28	Client Test Equipment:	gshs								
EQUIPMENT INFORMATION											
Equipment Description:	gddg										
ID & Serial No.:	bzbz	Fall Arrestor Type:	hsh								
Model:	bdhd	Wire Rope Ø (Dia.) & No. of Falls:	9								
Equipment Type:	hsh	Height Lifting:	8								
Equipment Manufacturer:	hsh	Hoist Motor Detail:	hsh								
Static Load Test (150%):	hdh	SWL / No. of Persons Allowed:	bshs								
Length of Travel:	8	Dynamic Load Test (125%)	nsjs								
Safety Break Serial No.:	hsh	Cradle Dimension	7								
Winch Serial No.:	hsh	Hoisting Speed	8								
Production Year:	02-04-2025		St. All St.								
	SAFE WORKING LOAD	AS PER LOAD CHART									
 If the answer to the a Was the inspection of 	arried out in accordance with	s the equipment been installed	☐ Yes ☑ No								

This is to certify that the above item/s described in this certificate was tested and particulars are correct.

CSSC has inventoried, inspected, verified and tested above mentioned equipment in accordance with the reference standards cited herein and consistent with CSSC policies and procedure. We certify this above mentioned equipment is SAFE TO USE, condition prevails at the time of this inspection, safe to use further with qualified operator. That the owner or his designated agent or contractor, hereafter owner, continues to perform maintenance in accordance with the original equipment manufacturer's preventive maintenance guideline and procedures and makes no unauthorized changes to the equipment's controls and mechanisms. CSSC makes no claims regarding the condition or safety of the equipment after we have completed this inspection and departed the property. CSSC disclaims any warranty of any kind either expressed or implied including without limitation warranties of merchantability or fitness for a particular purpose. This certificate becomes invalid in the event of any repair or alterations are done, in which case it must be retested.

All the information obtained /gathered during the inspection shall be preserved as confidential.

This inspection has been carried out as per local order no.: 2/2010;

This inspection certificate / report shall not be reproduced except in full without the approval of Claymore and the Client.

Inspected By: Wazeem Ibrahim

Name & Signature of Inspector

Page1

REPORT

OF THOROUGH EXAMINATION CRADLE / SUSPENDED ACCESS EQUIPMENT





Date of Issue: 02-04-2025 **ReportNo**.:**JO-10021/1**

ThinkSafel ThinkSafe, ThinkSafel ThinkSafel ThinkSafe, ThinkSafel ThinkSafel ThinkSafe, ThinkSafel ThinkSafel

		E/	KAMINATION	KEPUKI						
	EQUIPMENT PARTS	S	NS	NA	SE	RE	MARKS			
		Docun	nents Verificati							
1.	Previous inspection report					- Aki	-101			
2.	Maintenance log sheet		C L Y	◪		-1 /2	- 176.			
3.	Mfg. Manual & technical instruction		2 D 1	Ø		UTIN	COLVE			
4.	Operator license and Competency Certificate			Z			71 C. 100			
5.	NDT Certificate		7	Ø		4.4				
6.	Torque Report			-			- 4-			
Window Cradle										
7. Appearance & cleanliness										
8.	Marking & identification	ā		Ø		30				
9.	Counter weight verification			Z		-00				
10.	Platform condition			Z Z		2100	300°			
			D. D.	Z			11810			
11.	Secure Anchoring point					C. L. C.				
12	Protecting wheels / rubber strip			Ø		V JE	(C)			
13	Winding drums & pulleys			Ø						
14	Platform hole & anchor hook securing			Ø		10.7				
15	Fall arrestor condition (Safety Lock & Governor			◪						
	System)									
16	Wire rope condition & termination			Ø						
17	Emergency stop switch					age				
10	Control panel condition, selectors, push buttons,					TAND IN	ORK			
18	indicator			14.7	411,700	- 1/4.	10101			
19	Electrical condition & wiring		-\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Ø		01.10				
20	Hoisting motors		3/10/1	Ø		0,100	COLOR			
21	Brake system	Ē		<u> </u>			7 / V 110			
22	Winding motors			Z		9.9				
23	Emergency manual lowering operation		+ = +	Z			-			
			+ + +	<u>Z</u>						
24	Upper limit switches & striker plate									
25	Anti-collision device / lower limit switch			Ø						
26	Anti-tilt device / Level Indicator Sensor			Z.C		30				
27	Fire extinguisher			Ø		100	30-			
28	Castor wheels		A			JAM	100			
29	Warning signage's		TO DE	Ø		J. D. S.	- NV			
30	Safety instruction on cradle			Ø		U vilis	- Cal A			
		Tro	lley Assembl	y						
31	Trolley condition & fittings		44	Ø		10.00				
32	Boom / Frame condition			Ø			-00			
33	Monorail & davit condition			<u> </u>						
34	Counterweight condition & fittings			<u> </u>						
35	Mast Condition & Ladder		+ = +	<u> </u>						
36				Ø		100				
	Hydraulic system					1015	190			
37	Electrical cable safety limit device			Ø		110				
38	Derricking limit switches			Ø		1 12.00	- Alli			
39	Travel limit switches			Ø		U ^V ph				
40	Slewing limit switch			Ø			110			
41	Main Slewing motor & Head Slewing motor			Ø						
42	Traverse motors			Ø			-00			
43	Rails / tracks condition bolt & nuts			◪						
44	Trolley end stopper			Ø						
45	Maintenance			Zok		10	50.00			
		Fle	ctrical syster			7.44				
46	Grounding / Earth Cable Condition					144	Z11112			
47	Insulation Test		1	2	5	T A ST	A MA			
						CV	TO A STORY			
48	ELCB			Ø			L CV			
49	Isolator			Ø						
50	Phase Reversal			Ø		-				
Load test										
51	Overload system (110%)			Ø						
52	Static load test (150%)									
53	Dynamic load test (125%)					300				
	factory, NS-Not Satisfactory, NA-Not Applicable, SI	E-Service	able • Findin	g • Critica	l Finding	100	100			
J. A.										
Ein al	ng: Critical F	indina	To all	1	Oth -	r Remarks:	180			
Findi	ig. Critical F	mung.	The Contract		Othe	i Nemarks.	COLP			
					200		1000			

Claymore Security and Safety Consultants, P.O. Box 23420 Dubai & Abu Dhabi U.A.E., Tel. No.: 04 884 8446 E-mail: claysafe@claycss.ae, Website: www.claymoresafe.ae

Target Date of Closure:

Target Date of Closure:

CSSC-CERT01 / 04 Rev. 12 Rev. Date. 27-02-2024

REPORT

OF THOROUGH EXAMINATION CRADLE / SUSPENDED ACCESS EQUIPMENT





Date of Issue: 02-04-2025 **ReportNo**.:**JO-10021/1**

ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe! ThinkSafe ThinkSafe! ThinkSafe!

PHOTOS OF INSPECTED CRADLE/SUSPENDED ACCESS EQUIPMENT

CSSC-CERT01 / 04 Rev. 12 Rev. Date. 27-02-2024