



RAY International Electrical Equipments Maintenance LLC

RAY International Electrical Contracting LLC

RAY International Power LLC

ACCOMMODATION INSPECTION CHECKLIST			Abu Dhabi/ Dubai
Date: 11-11-2024	Time: 01:11:00.0000000	Location: kkkk	Client: client-247
Project No: Project-247	Project Name: Project-247		

#	DESCRIPTION	COMPLIANCE			REMARKS
		YES	NO	NA	
Sleeping Accommodation					
1	Sufficient space availability and welfare facilities?	✓			
2	Hanger or hooks for clothes? Proper ventilation?	✓			jjsnsmmdmsmsksjsdjjddjjdhshsheheheh ennsbshsbsbsbssbbshshsbsbddbhdhsbeb sbsbsbshshsbsbssbebebebebebebebeheh hebebeshbssnsnshssbbsbshehehehhehe hehehehehehehehehehwbwbsnsnnsbh ehehehehhehebebebhshenenjejwheheheh ehhehehenensejsjejkwjjejwjwjwjeehheh wehehehheheehsbsbgsbsbsnsjwwkqkqk jwgwgbwnwbsbshshhsbehehwbwbwjws sjansnjwjwjwjwhehehehehjejeheheheh ehehehehhhhwehwhwjwsnnsnnananann awnnjwjwhwh2hwjwnnwnwnsnssnnsjbwhw bwbwbwbebbebebehehheehwehehhwehe hhehehhwbwnwnwmwmwmqmqqmmqmqqm qmwnwjejshe
3	Proper Lighting? Air conditioning? "No smoking" followed? Safe electrical plugs & adopters provided?	✓			
4	Comfortable beds? Regular linen washing? No evidence of Bed bugs?	✓			
5	Housekeeping & general cleaning?	✓			
6	Toilet ventilation, hand wash facility, cleaning log sheet and cleanliness	✓			

Kitchen and Cooking Facilities					

Ref No: FR-621	Version. No	01	Issued Date :	08.09.2016	Page No:	Page 1 of 8
----------------	-------------	----	---------------	------------	----------	-------------



RAY International Electrical Equipments Maintenance LLC

RAY International Electrical Contracting LLC

RAY International Power LLC

1	Sufficient size, Durable, non-absorbent& non slip floor with no crevices?	✓			
2	Segregation of cooked & uncooked food Storage in covered containers?	✓			
3	Adequate & proper drainage Durable, impervious, light coloured?	✓			
4	Fire resistant, covered at wall joints & easy to clean ceiling?	✓			
5	Fly screens, Self-closing doors?	✓			
6	Proper dish washing facilities, running hot & cold water? Detergents, Proper utensil drying?	✓			
7	Separate hand washing sink? Liquid soap? Cleanliness?	✓			
8	Drinking water facility and condition?	✓			
9	Colour coded cutting boards of non-absorbent material? Use of Separate boards for fish, meat, vegetables & dairy	✓			
10	Proper storage of gas cylinders? No smoking sign? Proper ventilation? Securing? Distance from	✓			



RAY International Electrical Equipments Maintenance LLC

RAY International Electrical Contracting LLC

RAY International Power LLC

11	Cleanliness levels? Schedule available? Any Unauthorized entry?	✓										
Dining Hall												
1	Insect-o-cutters, Self-closing doors fly screens?	✓										
2	Clean drinking water?	✓										
3	Cleanliness levels? House Keeping?	✓										
Food Store												
1	Proper storage?	✓										
2	Storage of food on shelves or benches? Cleanliness?	✓										
3	Tight lid metal or plastic containers for loose grains, flour?	✓										
4	No food storage beneath benches Non-absorbent, easy to clean shelves, No cup boards?	✓										
5	No storage of chemicals, detergents, mops, cleaning items in food store?	✓										
6	Cleanliness, No spillages and No pests?	✓										
<table border="1"> <tr> <td>Ref No: FR-621</td> <td>Version. No</td> <td>01</td> <td>Issued Date :</td> <td>08.09.2016</td> <td>Page No:</td> <td>Page 3 of 8</td> </tr> </table>						Ref No: FR-621	Version. No	01	Issued Date :	08.09.2016	Page No:	Page 3 of 8
Ref No: FR-621	Version. No	01	Issued Date :	08.09.2016	Page No:	Page 3 of 8						



RAY International Electrical Equipments Maintenance LLC

RAY International Electrical Contracting LLC

RAY International Power LLC

7	Sufficient refrigerator, adequate size and clean?	✓			
---	---	---	--	--	--

Food Handlers & Personal Hygiene

1	Does people entering into the Kitchen are hygienic?	✓			
2	No smoking is followed strictly in food handling areas?	✓			
3	Does people in kitchen clean, neat & tidy condition? Short finger nails? Short hair? No jeweller?	✓			
4	Do people engaged in cooking are aware about the personnel hygiene?	✓			

Sanitary Facilities

1	Enough number of toilets?	✓			
2	Clean & nicely working WCs, showers & hand wash basins?	✓			
3	Toilets with suitable & adequate ventilation?	✓			
4	Adequate lighting? Supply of running cold & hot water?	✓			
5	Clean, non-slippery floors of bathrooms? Doors or curtains are provided?	✓			



RAY International Electrical Equipments Maintenance LLC

RAY International Electrical Contracting LLC

RAY International Power LLC

6	Cleaning register maintained and followed?	✓			
7	Is there any sign of leakage?	✓			

Waste Disposal

1	Waste is disposed as per Waste Management Procedure?	✓			
2	Sufficient number of plastic waste bins lined with plastic bags?	✓			
3	Daily collection of waste from food disposal areas?	✓			
4	Does the waste skip is collected before it is completely Full?	✓			
5	Carrying of waste to waste skips is in tied up bags or in covered bins?	✓			
6	Proper disposal of waste water? Sewage? Clinical waste followed and records maintained?	✓			

Pest Control

1	Availability of proper equipment & pesticides? Proper storage of these? Availability of SHOC/MSDS cards?	✓			
2	Trained personnel for application & handling of pesticides? Availability of PPEs for these?	✓			



RAY International Electrical Equipments Maintenance LLC

RAY International Electrical Contracting LLC

RAY International Power LLC

3	General cleaning & housekeeping of the camp/accommodation & surrounding areas? No litter or tripping hazards scattered in open areas?	✓			
4	Does pest control schedule followed?	✓			

Water

1	Above ground storage? Regular cleaning of tanks?		✓		
2	Testing of water?		✓		
3	Proper transport of water in a suitable, clean & well maintained potable water tanker?		✓		
4	Regular cleaning of water coolers tanks? Regular replacement of water filters and maintaining of cleaning		✓		
5	Do you monitor regularly check for water leakages?		✓		

General

1	Is there a sufficient number of washing machine available?		✓		
2	Ventilated storage for detergents & chemicals? Laundry man trained in SAFE use of these?		✓		
3	Appropriate recreational facilities for all level of employees?		✓		



RAY International Electrical Equipments Maintenance LLC

RAY International Electrical Contracting LLC

RAY International Power LLC

4	Sufficient number of Fire extinguishers in the camp? Designated FIRE WARDEN? Audible fire alarm? Fire		✓		
5	Smoke detectors are available at all rooms and kitchen?		✓		
6	Employees aware of Fire/ Emergency procedures?		✓		
7	Suitable Clinical facilities available?		✓		
8	Suitable & good working condition ambulance/ stand by vehicle available?		✓		
9	First Aid Boxes are available as per manpower sufficient?		✓		
10	Fire / Emergency Exit signs and Assembly point are marked & clearly visible to all?		✓		
11	General security provisions of camp gate and security guard?		✓		
12	Electrical arrangements to all rooms and panel boards are free from obstructions and safety?		✓		
13	"No Smoking" Posters available at all living and recreational areas?		✓		



14 Notice Boards are available for display the policy and circulars?

jjsnsmmdmsmsksjsjdjdjdjdshshshehehehennsbshsbsbsbsbbsbshshsbsbddbhdhsbebsbsbsbsbs
hsbbsbssbebebebebebehehhebebeshbssnshssbbsbshehehehhehehehehehehehehehehehe
hehhwbwbsnnsnnsbhehehehehhebebebhshene

SITE INCHARGE: Employee-2



RAY ID: Emp-2