

	<b>RAY International Electrical Contracting &amp; Maintenance LLC</b> <b>RAY International Electrical Contracting LLC</b> <b>RAY International Power LLC</b>																																									
<b><u>INCIDENT NOTIFICATION</u></b> <b>To be reported within 24 hours (maximum)</b>						Abudhabi/ Dubai																																				
<b>DISTRIBUTIONTO:</b> MD, CEO, GMs, Discipline SR MGR, QHSE MGR & advisors, LINE Managers, HRA Manager																																										
<b>REPORT ORIGINATED BY:</b>																																										
NAME:	treesaSang	COMPANY / DIVISION:	MyRayProject	GSM NO:																																						
LOCATION OF INCIDENT:	gy	DATE OF INCIDENT:	17-05-2023	TIME:	12:37 PM																																					
INCIDENT TYPE: Medically Treated																																										
INCIDENT ACTUAL SEVERITY RATING: 4 POTENTIAL SEVERITY RATING: 5 RISKLEVEL: High <b>Note:</b> Use the Risk Assessment Matrix to determine the <b>actual</b> and <b>potential</b> severity rating for the incident. Seek assistance from the HSE Advisor if required. <b>Incidents with a potential 'Medium or High Risk' shall be referred to the RAY QHSE Dept immediately</b>			<table><tr><th>Likelihood \ Severity</th><th>Rare (1)</th><th>Unlikely (2)</th><th>Possible (3)</th><th>Likely (4)</th><th>Almost Certain (5)</th></tr><tr><th>Catastrophic (5)</th><td>Low</td><td>Moderate</td><td>High</td><td>High</td><td>High</td></tr><tr><th>Major (4)</th><td>Low</td><td>Moderate</td><td>Moderate</td><td>High</td><td>High</td></tr><tr><th>Moderate (3)</th><td>Low</td><td>Moderate</td><td>Moderate</td><td>Moderate</td><td>High</td></tr><tr><th>Minor (2)</th><td>Low</td><td>Moderate</td><td>Moderate</td><td>Moderate</td><td>Moderate</td></tr><tr><th>Negligible (1)</th><td>Low</td><td>Low</td><td>Low</td><td>Low</td><td>Low</td></tr></table>				Likelihood \ Severity	Rare (1)	Unlikely (2)	Possible (3)	Likely (4)	Almost Certain (5)	Catastrophic (5)	Low	Moderate	High	High	High	Major (4)	Low	Moderate	Moderate	High	High	Moderate (3)	Low	Moderate	Moderate	Moderate	High	Minor (2)	Low	Moderate	Moderate	Moderate	Moderate	Negligible (1)	Low	Low	Low	Low	Low
Likelihood \ Severity	Rare (1)	Unlikely (2)	Possible (3)	Likely (4)	Almost Certain (5)																																					
Catastrophic (5)	Low	Moderate	High	High	High																																					
Major (4)	Low	Moderate	Moderate	High	High																																					
Moderate (3)	Low	Moderate	Moderate	Moderate	High																																					
Minor (2)	Low	Moderate	Moderate	Moderate	Moderate																																					
Negligible (1)	Low	Low	Low	Low	Low																																					
BRIEF DESCRIPTION OF INCIDENT fyu edit																																										
BRIEF DESCRIPTION OF DAMAGE hh																																										
NUMBER OF PERSONS INJURED: 6																																										
NAMES OF INJURED PEOPLE AND DETAILS OF INJURIES: fdf																																										
THE FOLLOWING FOR <u>LOW POTENTIAL INCIDENTS</u> - (All incidents including Medium or High Potential <u>MUST</u> have a full investigation report completed)																																										
IMMEDIATE CAUSES fg																																										
UNDERLYING CAUSES fg																																										
CORRECTIVE AND PREVENTIVE ACTIONS:				RESPONSIBLE	CLOSED DATE																																					
cvtzy				Antony Aroon Vivek	g																																					
rod				Rajasekaran Vaiithyanathan	gd																																					