RAY International Electrical Contracting & Maintenance LLC
RAY International Electrical Contracting LLC
RAY International Power LLC

INCIDENT NOTIFICATION

To be reported within 24 hours (maximum)

Abudhabi/ Dubai

DISTRIBUTIONTo:

MD, CEO, GMs, Discipline SR MGR, QHSE MGR & advisors, LINE Managers, HRA Manager

REPORT ORIGINATED BY:

NAME:	treesa	**COMPANY / DIVISION:**	GENERAL	**GSM NO:**	
LOCATION OF INCIDENT:	incitr	**DATE OF INCIDENT:**	14-04-2023	**TIME:**	10:52 AM

INCIDENT TYPE: Near Miss

INCIDENT ACTUAL SEVERITY RATING: 4

POTENTIAL SEVERITY RATING: 2

RISKLEVEL: Moderate

Note:
Use the Risk Assessment Matrix to determine the **actual** and **potential** severity rating for the incident. Seek assistance from the HSE Advisor if required.

Incidents with a potential 'Medium or High Risk' shall be referred to the RAY QHSE Dept immediately

Low | Moderate | High

Likelihood / Severity	Rare (1)	Unlikely (2)	Possible (3)	Likely (4)	Almost Certain (5)
Catastrophic (5)	Low	Moderate	High	High	High
Major (4)	Low	Moderate	Moderate	High	High
Moderate (3)	Low	Moderate	Moderate	Moderate	High
Minor (2)	Low	Moderate	Moderate	Moderate	Moderate
Negligible (1)	Low	Low	Low	Low	Low

BRIEF DESCRIPTION OF INCIDENT

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweerrurioroyprowolwlpPpam smsmnxmxmnxmdkdjururuririirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfj rjjririritiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirrriiruruuruiroowoksmmznjjjdiriu ruruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowona bxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

BRIEF DESCRIPTION OF DAMAGE

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweerrurioroyprowolwlpPpam smsmnxmxmnxmdkdjururuririirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfj rjjririritiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirrriiruruuruiroowoksmmznjjjdiriu ruruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowona bxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

NUMBER OF PERSONS INJURED: 50

NAMES OF INJURED PEOPLE AND DETAILS OF INJURIES.

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufu diwksklolmmllkakawwweerrurioroyprowolwlpPpamsmsmnxmxmnxm dkdjururuririirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiiri eiiwiwiowowoowlslwkmxmdnnfjjfjrjjririritiuyuriirioooooopwwokamamnx nncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirrriiruruuruiroowo ksmmznjjjdiriuruuruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjd uyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowonabxbf bcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

THE FOLLOWING FOR LOW POTENTIAL INCIDENTS-

(All incidents including Medium or High Potential MUST have a full investigation report completed)

IMMEDIATE CAUSES

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweer rurioroyprowolwlpPpamsmsmnxmxmnxmdkdjururuririirooeooeowonmmfnfnvnncncbcjcjjfhrucuyu rufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfjrjjririritiuyuriirioooooopwwokamamnxnncmnvvnjvj gitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirrriiruruuruiroowoksmmznjjjdiriuruuruuruytyuwiwiwoososks nzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowonabx bfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

UNDERLYING CAUSES

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwwee rrurioroyprowolwlpPpamsmsmnxmxmnxmdkdjururuririirooeooeowonmmfnfnvnncncbcjcjjfhrucu yurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfjrjjririritiuyuriirioooooopwwokamamnxnncmnvv njvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirrriiruruuruiroowoksmmznjjjdiriuruuruuruytyuwiwiwoos osksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoow onabxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

CORRECTIVE AND PREVENTIVE ACTIONS:	RESPONSIBLE	CLOSED DATE

DISTRIBUTIONTo:

MD, CEO, GMs, Discipline SR MGR, QHSE MGR & advisors, LINE Managers, HRA Manager

REPORT ORIGINATED BY:

NAME:	treesa	**COMPANY / DIVISION:**	GENERAL	**GSM NO:**	
LOCATION OF INCIDENT:	incitr	**DATE OF INCIDENT:**	14-04-2023	**TIME:**	10:52 AM

INCIDENT TYPE: Near Miss

INCIDENT ACTUAL SEVERITY RATING: 4

POTENTIAL SEVERITY RATING: 2

RISKLEVEL: Moderate

Note:
Use the Risk Assessment Matrix to determine the **actual** and **potential** severity rating for the incident. Seek assistance from the HSE Advisor if required.

Incidents with a potential 'Medium or High Risk' shall be referred to the RAY QHSE Dept immediately

Low Moderate High

Likelihood / Severity	Rare (1)	Unlikely (2)	Possible (3)	Likely (4)	Almost Certain (5)
Catastrophic (5)	Low	Moderate	High	High	High
Major (4)	Low	Moderate	Moderate	High	High
Moderate (3)	Low	Moderate	Moderate	Moderate	High
Minor (2)	Low	Moderate	Moderate	Moderate	Moderate
Negligible (1)	Low	Low	Low	Low	Low

BRIEF DESCRIPTION OF INCIDENT

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweerrurioroyprowolwlpPpam smsmnxmxmnxmdkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfj rjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriu ruruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowona bxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

BRIEF DESCRIPTION OF DAMAGE

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweerrurioroyprowolwlpPpam smsmnxmxmnxmdkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfj rjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriu ruruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowona bxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

NUMBER OF PERSONS INJURED: 50

NAMES OF INJURED PEOPLE AND DETAILS OF INJURIES.

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufu diwksklolmmllkakawwweerrurioroyprowolwlpPpamsmsmnxmxmnxm dkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiiri eiiwiwiowowoowlslwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnx nncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowo ksmmznjjjdiriuruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjd uyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowonabxbf bcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

THE FOLLOWING FOR LOW POTENTIAL INCIDENTS-

(All incidents including Medium or High Potential MUST have a full investigation report completed)

IMMEDIATE CAUSES

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweer rurioroyprowolwlpPpamsmsmnxmxmnxmdkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucuyu rufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvj gitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriuruuruytyuwiwiwoososks nzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowonabx bfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

UNDERLYING CAUSES

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwwee rrurioroyprowolwlpPpamsmsmnxmxmnxmdkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucu yurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnxnncmnvv njvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriuruuruytyuwiwiwoos osksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoow onabxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

CORRECTIVE AND PREVENTIVE ACTIONS:	RESPONSIBLE	CLOSED DATE
cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwks klolmmllkakawwweerrurioroyprowolwlpPpamsmsmnxmxmnxmdkdjururirii irooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowls lwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroror ooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriuruuruytyuwi wiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncn hcbfghruyturiyirooroorpeoowonabxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthi eijndbxbbgvbbxnznzbzvcccvbbnnnjnjdjhujekeuyyteiisiowowomsnzvccgfcsv hzhshdhyyeyeyueiwowowpsmzmmxlxlxkdkodududttgghendms	Mintu Kumar	fyf

DISTRIBUTIONTo:

MD, CEO, GMs, Discipline SR MGR, QHSE MGR & advisors, LINE Managers, HRA Manager

REPORT ORIGINATED BY:

NAME:	treesa	**COMPANY / DIVISION:**	GENERAL	**GSM NO:**	
LOCATION OF INCIDENT:	incitr	**DATE OF INCIDENT:**	14-04-2023	**TIME:**	10:52 AM

INCIDENT TYPE: Near Miss

INCIDENT ACTUAL SEVERITY RATING: 4

POTENTIAL SEVERITY RATING: 2

RISKLEVEL: Moderate

Note:
Use the Risk Assessment Matrix to determine the **actual** and **potential** severity rating for the incident. Seek assistance from the HSE Advisor if required.

Incidents with a potential 'Medium or High Risk' shall be referred to the RAY QHSE Dept immediately

Low Moderate High

Likelihood / Severity	Rare (1)	Unlikely (2)	Possible (3)	Likely (4)	Almost Certain (5)
Catastrophic (5)	Low	Moderate	High	High	High
Major (4)	Low	Moderate	Moderate	High	High
Moderate (3)	Low	Moderate	Moderate	Moderate	High
Minor (2)	Low	Moderate	Moderate	Moderate	Moderate
Negligible (1)	Low	Low	Low	Low	Low

BRIEF DESCRIPTION OF INCIDENT

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweerrurioroyprowolwlpPpam smsmnxmxmnxmdkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfj rjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriu ruruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowona bxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

BRIEF DESCRIPTION OF DAMAGE

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweerrurioroyprowolwlpPpam smsmnxmxmnxmdkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfj rjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriu ruruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowona bxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

NUMBER OF PERSONS INJURED: 50

NAMES OF INJURED PEOPLE AND DETAILS OF INJURIES.

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufu diwksklolmmllkakawwweerrurioroyprowolwlpPpamsmsmnxmxmnxm dkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiiri eiiwiwiowowoowlslwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnx nncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowo ksmmznjjjdiriuruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjd uyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowonabxbf bcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

THE FOLLOWING FOR LOW POTENTIAL INCIDENTS-

(All incidents including Medium or High Potential MUST have a full investigation report completed)

IMMEDIATE CAUSES

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweer rurioroyprowolwlpPpamsmsmnxmxmnxmdkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucuyu rufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvj gitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriuruuruytyuwiwiwoososks nzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowonabx bfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

UNDERLYING CAUSES

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwwee rrurioroyprowolwlpPpamsmsmnxmxmnxmdkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucu yurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnxnncmnvv njvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriuruuruytyuwiwiwoos osksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoow onabxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

CORRECTIVE AND PREVENTIVE ACTIONS:	RESPONSIBLE	CLOSED DATE
cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwks klolmmllkakawwweerrurioroyprowolwlpPpamsmsmnxmxmnxmdkdjururirii irooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowls lwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroror ooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriuruuruytyuwi wiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncn hcbfghruyturiyirooroorpeoowonabxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthi eijndbxbbgvbbxnznzbzvcccvbbnnnjnjdjhujekeuyyteiisiowowomsnzvccgfcsv hzhshdhyyeyeyueiwowowpsmzmmxlxlxkdkodududttgghendms	S. Yokesh Kumar	hd

DISTRIBUTIONTo:

MD, CEO, GMs, Discipline SR MGR, QHSE MGR & advisors, LINE Managers, HRA Manager

REPORT ORIGINATED BY:

NAME:	treesa	**COMPANY / DIVISION:**	GENERAL	**GSM NO:**	
LOCATION OF INCIDENT:	incitr	**DATE OF INCIDENT:**	14-04-2023	**TIME:**	10:52 AM

INCIDENT TYPE: Near Miss

INCIDENT ACTUAL SEVERITY RATING: 4

POTENTIAL SEVERITY RATING: 2

RISKLEVEL: Moderate

Note:
Use the Risk Assessment Matrix to determine the **actual** and **potential** severity rating for the incident. Seek assistance from the HSE Advisor if required.

Incidents with a potential 'Medium or High Risk' shall be referred to the RAY QHSE Dept immediately

Low Moderate High

Likelihood / Severity	Rare (1)	Unlikely (2)	Possible (3)	Likely (4)	Almost Certain (5)
Catastrophic (5)	Low	Moderate	High	High	High
Major (4)	Low	Moderate	Moderate	High	High
Moderate (3)	Low	Moderate	Moderate	Moderate	High
Minor (2)	Low	Moderate	Moderate	Moderate	Moderate
Negligible (1)	Low	Low	Low	Low	Low

BRIEF DESCRIPTION OF INCIDENT

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweerrurioroyprowolwlpPpam smsmnxmxmnxmdkdjuruuruririirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfj rjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriu ruruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowona bxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

BRIEF DESCRIPTION OF DAMAGE

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweerrurioroyprowolwlpPpam smsmnxmxmnxmdkdjuruuruririirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfj rjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriu ruruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowona bxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

NUMBER OF PERSONS INJURED: 50

NAMES OF INJURED PEOPLE AND DETAILS OF INJURIES.

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufu diwksklolmmllkakawwweerrurioroyprowolwlpPpamsmsmnxmxmnxm dkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiiri eiiwiwiowowoowlslwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnx nncmnvvnjvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowo ksmmznjjjdiriuruuruytyuwiwiwoososksnzbxbxncnncncncbvgyxghsjd uyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowonabxbf bcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

THE FOLLOWING FOR LOW POTENTIAL INCIDENTS-

(All incidents including Medium or High Potential MUST have a full investigation report completed)

IMMEDIATE CAUSES

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwweer rurioroyprowolwlpPpamsmsmnxmxmnxmdkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucuyu rufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvj gitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriuruuruytyuwiwiwoososks nzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoowonabx bfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

UNDERLYING CAUSES

cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwksklolmmllkakawwwee rrurioroyprowolwlpPpamsmsmnxmxmnxmdkdjuruririiirooeooeowonmmfnfnvnncncbcjcjjfhrucu yurufiuruuttuutiirieiiwiwiowowoowlslwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnxnncmnvv njvjgitiuiriroroorooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriuruuruytyuwiwiwoos osksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncnhcbfghruyturiyirooroorpeoow onabxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthieijndb

CORRECTIVE AND PREVENTIVE ACTIONS:	RESPONSIBLE	CLOSED DATE
cgeyurudiriidjdbvbcnxjxkxhydjdbdbdnjdksksndndndbbdhdbfbrjjdjfhufudiwks klolmmllkakawwweerrurioroyprowolwlpPpamsmsmnxmxmnxmdkdjururirii irooeooeowonmmfnfnvnncncbcjcjjfhrucuyurufiuruuttuutiirieiiwiwiowowoowls lwkmxmdnnfjjfjrjjrirititiuyuriirioooooopwwokamamnxnncmnvvnjvjgitiuiriroror ooiiitititiitiioooooooyjttuuttiotitirirriirurururirioowoksmmznjjjdiriuruuruytyuwi wiwoososksnzbxbxncnncncncbvgyxghsjduyyueididiuriroowoppqpqpmzncn hcbfghruyturiyirooroorpeoowonabxbfbcbcbfjjfbvczvccmnbvvdhhfgdgeyyrthi eijndbxbbgvbbxnznzbzvcccvbbnnnjnjdjhujekeuyyteiisiowowomsnzvccgfcsv hzhshdhyyeyeyueiwowowpsmzmmxlxlxkdkodududttgghendms	Kandaswamy Gulli	hd