



**RAY International Electrical Contracting & Maintenance LLC**  
**RAY International Electrical Contracting LLC**  
**RAY International Power LLC**

**PPE INSPECTION CHECKLIST**

Abu Dhabi/ Dubai

**Date:** 22-10-2024

**Location:** CALICUT

**Client:**

**Project Code:** sg

**Project Details:** vg

**Site In charge:** Subramaniam Narayanaswami

Sl. No	ITEMS	COMPLIANCE			REMARKS
		YES	NO	NA	
1	Are all personnel provided with the right & required personal protective equipment's (PPEs)?	✓			
2	Are the PPEs suitable for guarding against exposure to hazards involved?	✓			
3	Are signs, designating the areas where specific PPEs are to be used, posted?		✓		
4	Are the PPEs in good condition for providing safe shield?	✓			
5	Are adequate stocks of spare PPEs available at stores?	✓			
6	Do personnel know when & how to obtain replacement of PPEs?	✓			
7	Do personnel have difficulty in obtaining replacement of PPEs?	✓			
8	Are personnel equipped with clear lenses eye protection for work during dark hours?		✓		
9	Does the PPE stored in a clean and hygienic condition?	✓			
10	Are all visitors using mandatory PPE at the site?		✓		
11	Does the PPE used at the site meet the approved standard?	✓			
12	Does all the helmets fitted with cradle and in good condition?	✓			
13	Are all workers wearing suitable hand gloves for the job?	✓			
14	Are all workers wearing RAY coverall and as appropriate for sub-contractors?		✓		
15	Are all the persons wear safety shoes suitable for the job and in good condition?		✓		
16	Are all workers wearing suitable ear protection according to the noise level in the area?		✓		
17	Are all person working for (Welding, Grinding, cutting, bending etc..) using face protection suitable for the job?		✓		
18	Are all required PPE available in the Guard Room for visitors?		✓		

**General Comments**

NOPhhfghfghvgfdxgfcghvbjbnjkhg b g jhggffykhl mjo98970989i //;khtfresesdtrfyugujnikj  
ijugyufygiuhijlhlju;kjklkmkjmimmljkhjhujhiugiugiugujhjbhvfgcgfcghvjbh.jnjhycf gfgftgt fyfytg gttf  
yg ftfuyg uhyugygiuhiu ygtgtg gufyg yttfcrdrf dtrft ftrdrfytgfuygb ytdtdf gyttft fttfg  
yfrdytfgligiuhvrdytyuchbcsfbsygytu hgdytgadyuadsjgutyub hgiuholjkgiuho vgvbksdpd[-dkwid  
hygtdfygdoudh ugygiuhfoijfpo fgygdijiyuwlkj;k;njkcyutyshf uiugfoijfpoefhifufiyudjadhvdjdoi  
gyddkjbndkhwudytb Imna hugdwtiuw

**Inspected By :** abc

**Site I/C :** Subramaniam Narayanaswami

**Sign/Date :**

**RAY No :** RU/022

**RAY No :** RU/035

**Ref No:** FR-615

**Version.**

01

**Issued Date**

08.09.2016

**Page No:**

1

Sl. No	ITEMS	COMPLIANCE			REMARKS
		YES	NO	NA	

Signature: